



heavy duty edition 2

face pipework

single filter face pipework



Single Filter Face Pipework

Face pipework batteries are supplied loose for site assembly and include PVC-U fittings, Pipe, Butterfly Valves, and 2 x Supports with 4 x Pipe clips

Note:

- Pressure gauge panel not included
- Butterfly valves have EPDM seals and ratchet locking lever arms
- Pipe and fittings are PN10 rated




Single Filter 4 & 5 Valve Battery Sets

4 Valve Code	5 Valve Code	Conn mm	Filter Diameter		
			11-30 m ³ /m ² /h	30-40 m ³ /m ² /h	40-50 m ³ /m ² /h
SLX075-4	SLX075-5	75	1050	1050	-
SLX075-4	SLX075-5	75	1200	-	-
SLX090-4	SLX090-5	90	1400	1200	1050
SLX090-4	SLX090-5	90	-	-	1200
SLX110-4	SLX110-5	110	1600	1400	1400
SLX110-4	SLX110-5	110	1800	1600	-
SLX125-4	SLX125-5	125	2000	1800	1600
SLX140-4	SLX140-5	140	2350	2000	1800
SLX160-4	SLX160-5	160	2500	2350	2000
SLX200-4	SLX200-5	200	3000	2500	2350

Certikin Backwash Sightglass

Code	Description
CSG075	75mm Backwash Sight Glass
CSG090	90mm Backwash Sight Glass
CSG110	110mm Backwash Sight Glass
CSG125	125mm Backwash Sight Glass
CSG140	140mm Backwash Sight Glass
CSG160	160mm Backwash Sight Glass
CSG200	200mm Backwash Sight Glass
CSG225	225mm Backwash Sight Glass





4 Valve Battery

 Double Filter 4 & 5 Valve Battery Sets

4 Valve Code	5 Valve Code	Conn mm	Filter Diameter		
			11-30 m ³ /m ² /h	30-40 m ³ /m ² /h	40-50 m ³ /m ² /h
SLX075/090-4	SLX075/090-5	75	1050	-	-
SLX075/110-4	SLX075/110-5	75	1200	1050	-
SLX090/125-4	SLX090/125-5	90	1400	1200	1050
SLX090/140-4	SLX090/140-5	90	-	-	1200
SLX110/140-4	SLX110/140-5	110	1600	1400	-
SLX110/160-4	SLX110/160-5	110	1800	1600	1400
SLX125/160-4	SLX125/160-5	125	2000	-	-
SLX125/200-4	SLX125/200-5	125	-	1800	1600
SLX140/200-4	SLX140/200-5	140	-	2000	1800
SLX140/225-4	SLX140/225-5	140	2350	-	-
SLX160/225-4	SLX160/225-5	160	2500	-	2000
SLX160/250-4	SLX160/250-5	160	-	2350	-
SLX200/250-4	SLX200/250-5	200	3000	2500	-




Double Filter Face Pipework

Double filter face pipework is sized to accommodate the increased flow through two filters.

Face pipework batteries are supplied loose for site assembly and include PVC-U fittings, Pipe, Butterfly valves and 3 x Supports with 6 x Pipe clips





Note:

- Pressure gauge panel not included
- Butterfly valves have EPDM seals and ratchet locking lever arms
- Pipe and fittings are PN10 rated



5 Valve Battery

heavyduty



Certikin
international ltd

Certikin International
Witan Park,
Avenue 2,
Station Lane Industrial Estate, Witney,
Oxon OX28 4FJ

UK Tel: +44 (0) 1993 778855
UK Fax: +44 (0) 1993 778869
Export Tel: +44(0) 1993 700744
Export Fax: +44 (0) 1993 708499
E-mail: info@certikin.co.uk
Web: <http://www.certikin.co.uk>